NKMAXBio We support you, we believe in your research

Human beta-III Tubulin antibody

Catalog Number: ATGA0343

PRODUCT INFORMATION

Catalog number

ATGA0343

Clone No.

AT2F5

Product type

Monoclonal Antibody

UnitProt No.

Q13509

NCBI Accession No.

NP 006077

Alternative Names

Tubulin beta 3 class III, Tubulin, beta 3 class III, beta-4, CDCBM, CFEOM3A, TuBB4, TUBB3, FEOM3, fibrosis of extraocular muscles, congenital

PRODUCT SPECIFICATION

Antibody Host

Mouse

Reacts With

Human

Concentration

1mg/ml (determined by BCA assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen

Recombinant human TUBB3 (1-450aa) purified from E. coli

Isotype

IgG1 kappa

Purification Note

By protein-A affinity chromatography

Application

ELISA, WB, ICC/IF, FACS

Usage

The antibody has been tested by ELISA, Western blot, ICC/IF and FACS analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.



NKMAXBIO We support you, we believe in your research

Human beta-III Tubulin antibody

Catalog Number: ATGA0343

Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description


Tubulin Beta 3 is 450 amino acid protein. Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on the alpha-chain. TUBB3 plays a critical role in proper axon guidance and mantainance. Its expression is primarily restricted to central and peripheral nervous system.

General References

Qu C., et al. (2013) J Cell Sci. 126(14): 3070-3081. Marczak A., et al. (2015) Postepy Hig Med Dosw. 69: 158-164. McCarroll J.A., et al. (2015) Cancer Res. 75(2): 415-425.

DATA

Western blot analysis (WB)




The cell lysates (40ug) and tissue lysate (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human Tubulin Beta 3 antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

Lane 1.: HeLa cell lysate Lane 2.: 293T cell lysate

Lane 3.: Mouse Brain tissue lysate

Immunocytochemistry/Immunofluorescence (ICC/IF)




ICC/IF analysis of Tubulin Beta 3 in U-87MG cells. The cell was stained with ATGA0343 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).

Flow cytometry (FACS)

NKMAXBio We support you, we believe in your research

Human beta-III Tubulin antibody

Catalog Number: ATGA0343



Flow cytometry analysis of Tubulin Beta 3 in U-87MG cell line, staining at 2-5ug for 1x10^6cells (red line). The secondary antibody used goat anti-mouse IgG Alexa fluor 488 conjugate. Isotype control antibody was mouse IgG (black line).

